Global Markets





Building #8, Skyworth Innovation Valley Phase II, TangTou Road No.1, ShiYan, Bao'An District, ShenZhen, China

- +86 755-26072286
- www.amoulmed.com
- info@amoulmed.com







T5

Emergency & Transport Ventilator

20

www.amoulmed.com





Waterproof & dust-resistant allow to work in tough environments

EN1789 Certified Emergency & Transport Ventilator

Easy Maintenance

Easy to replace and clean patient valve. T5 can handle multiple conditions, such as shocks, vibrations, rain, dirt, and extreme temperatures. Patient valve system:

- Detachable design
- Disassemble without any tool
- Autoclave sterilization
- Trusted and durable



Ventilation modes

EtCO₂

Ventilation modes

Volume-Control Modes: V-A/C, V-SIMV, IPPV Pressure-Control Modes: P-A/C, P-SIMV, CPAP, PCV Other modes: CPR, Manual, HFNC

EtCO₂ measurement (optional)

Real time monitoring of the end-tidal CO₂ concentration (EtCO₂) in exhaled gas



CPR mode

ΑπόυΙ CPR mode provides visual and voice guidance based on the AHA guidelines



Portable

Compact

Weight ≤3.4 kg (lightweight) Compact size Easy to carry with just one hand

Touch Screen

7" color touch screen, clear and intuitive to simplify the user's work



Versatile functions in one device



Fully Portable

Equipped with a portable mobile rack that makes it easy to move or use in ambulance.



The oxygen cylinder can be carried in a cylinder bag together with the main unit bag, change. It also can be detached from the main unit bag to transport separately. This feature makes it easy to use in different emergency scenarios.

Real-time data transmission via Wi-Fi connection



 Easy to replace built-in battery. It supports charging via AC and DC power



3、Easy to carry or hanging on stretcher / bed



5、Carbon fiber oxygen cylinder (optional) for weight reduction (EN1789





 Gas inlet port, pressure monitoring port, built-in precise electronic PEEP, fresh gas output port, EtCO2 sampling port



4、EtCO2 module (optional)



6、Reusable breathing circuit